



03cd

**PATENT APPLICATION**  
Atty. Docket No. 05284.00096

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Group Art Unit: 3763

David Hung

Examiner: Unknown

Serial No. 09/912,499

Attorney Docket No. 05284.00096

Filed: July 26, 2001

For: Methods and Devices for Diagnosis of Precancer and Cancer In Breast  
Milk Ducts

**RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS**

Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

In response to the Notice to File Corrected Application Papers mailed on August 31, 2001 (copy attached), enclosed are four sheets of drawings (Figs. 1-4) which incorporate the margin requirements requested in said Notice.

It is believed that no fee is required. However, if a fee is required, please charge our Deposit Account No. 19-0733.

Respectfully submitted,

Date: 9/19/01

By:

Brian E. Hanlon

Brian E. Hanlon

Reg. No. 40,449

BANNER & WITCOFF, LTD  
1001 G Street, N.W.  
Eleventh Floor  
Washington, D.C. 20001  
(202) 508-9100



## UNITED STATES PATENT AND TRADEMARK OFFICE

SEP 21 2001

 COMMISSIONER FOR PATENTS  
 UNITED STATES PATENT AND TRADEMARK OFFICE  
 WASHINGTON, D.C. 20231  
 www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/912,499	07/26/2001	David Hung	05284.00096

 22907  
 BANNER & WITCOFF  
 1001 G STREET N W  
 SUITE 1100  
 WASHINGTON, DC 20001

CONFIRMATION NO. 6261

## FORMALITIES LETTER



\*OC000000006504589\*

Date Mailed: 08/31/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

09/21/2001 11:55:00